CZT & GAMMA CAMERA'S




Table of contents

| 3D Plus | |
|-------------------------------|---|
| Spid-X | |
| Kromek | 4 |
| GR Series Gamma Spectrometers | |
| Quant GR1 | 8 |
| TN15 | 9 |
| RayMon | |
| Sigma 25/50 | |
| K102 | |

← Back to Table of Contents

Partner 3D Plus



3D PLUS is a leading provider of compact, high-performance imaging systems based on advanced CZT (Cadmium Zinc Telluride) technology. Designed for demanding applications across space, defence, and nuclear sectors, their gamma cameras offer precise, real-time radiation imaging in compact, rugged formats.

Product offering



PEO Detection Page 3 of 12

Radiation Detection \rightarrow CZT & Gamma Cameras **Spid-X**

In collaboration with the French Atomic Energy Commission (CEA), the Spectro Imager Spid-X has been designed for nuclear safety applications such as radioactive waste monitoring, decommissioning, decontamination or emergency situations.

The device offers fine spectroscopic capabilities embedding ultra-low noise ASICs and CdTe crystal thanks to 3D PLUS electronic components miniaturization technology.

The Spid-X gamma camera allows locating, identifying and measuring the dose intensity of the various radioactive sources that can be found in a nuclear environment.

Combined with the small size and lightweight of the device, it brings a fast and efficient diagnostic on site, and can help the decontamination process.

Features

- Identifies and locates the radioactive sources
- Measures the dose of the sources
- Small dimensions: 323 x 110 x 180 mm3
- Light Weight : < 3,5 kg
- Covers large range of energy
- Fine spectroscopic capabilities



PEO Detection Page 4 of 12

Partner Kromek



Kromek Group plc is a global leader in advanced radiation detection technologies, specializing in compact, high-resolution solutions for security, defense, nuclear, and research applications. Leveraging proprietary Cadmium Zinc Telluride (CZT) semiconductor technology, Kromek delivers a versatile

portfolio that includes handheld monitors, portable isotope identifiers, CZT-based gamma cameras, and laboratory-grade spectrometers.

Product offering













PEO Detection Page 5 of 12

Radiation Detection > CZT & Gamma Cameras

GR Series Gamma Spectrometers

A family of small and light CZT-based Gamma detector spectrometers!



The Kromek GR family is a range of CZT-based high-performance Gamma spectrometers. They are completely self-contained, with built-in preamplifier, shaping amplifier, baseline restorer, pulse height digitizer and HV supply. The digitised pulse heights of detected Gamma signals are sent to a computer via the USB. The unit is powered entirely from the USB bus, so no external power supply is needed.

Can be used for all Gamma radiation detection needs either straight out of the box or built into your own devices. The GR Gamma detectors can be mounted side by side in an array to give you coverage of a large area.

GR1/GR1+ Gamma spectrometer

- Perfect for most uses
- Energy resolution: < 2.5% FWHM @ 662 KeV
- USB output only
- 1 cm cubed CZT detector
- The plus model is available for those that need higher resolution:
- Energy resolution: <2.0% FWHM @ 662 KeV

GR1-A/GR1-A+ Gamma spectrometer

- For those that need extra outputs channels
- Energy resolution: < 2.5% FWHM @ 662 keV
- USB output
- Three MCX connectors that provide energy and timing outputs and gate inputs
- MultiSpect Analysis spectroscopy software included in the price
- 1 cm cubed CZT detector
- The plus model is available for those that need higher resolution:
- Energy resolution: <2.0% FWHM @ 662 KeV

GR05 Gamma spectrometer

- For use in a high-flux environment
- Energy resolution: < 2.5% FWHM @ 662 keV
- Max dose rate approximately 10mSv/hr
- USB output
- Smaller 0.125 cm cubed CZT detector

PEO Detection Page 6 of 12

• For use in high-count (high-flux) environments



PEO Detection Page 7 of 12

Radiation Detection > CZT & Gamma Cameras

Quant GR1

The Quant GR1 is a complete mobile or benchtop solution for quantifying doses of Gamma radiation released by radionuclides. Its high resolution of <2% and count spectrum range of 4096 channels enables any isotope to be identified and its associated dose quantified, even from complex mixtures.

The ability to quantify radiation doses in real time eliminates the need for further analysis in the lab, as data can both be collected and processed on site, saving time and costs.



PEO Detection Page 8 of 12

Radiation Detection > CZT & Gamma Cameras

TN15

The Kromek TN15 is a robust, cost effective, self-contained, room temperature Neutron detector without Helium3. The detector surpasses the performance of a 100mm long 13mm3 He tube at 4 atmospheres and does not need cooling as it operates at room temperature.

This highly compact device is completely self-contained, with a built-in preamplifier, shaping amplifier, pulse discrimination, and HV supply.

The digitized neutron data is sent to a computer via the mini-USB which also powers the unit, so no external power supply is required; making the TN15 portable, creating a host of new ways to use and deploy neutron detectors.



PEO Detection Page 9 of 12

Radiation Detection > CZT & Gamma Cameras

RayMon

RayMon

A powerful and rugged handheld gamma detector for highresolution radioactive isotope identification. The RayMon10 is one of the most powerful and rugged handheld radiation monitors in the world. It can be used to detect, measure, and accurately identify gamma-ray emitting radionuclides, providing high-resolution isotope identification using the latest CZT solid-state detector technology. It is an all in one solution to your gamma radionuclide identification needs

It can output a variety of reports including date/time, user handheld ID, photo and audio note, GPS positioning, radiation spectra, and isotope identification.

Variations in normal operating conditions can often affect the performance of radio-isotope identification, the RayMon10's advanced one cubic centimeter CZT coplanar grid detector provides more stable performance than scintillation-type detectors



PEO Detection Page 10 of 12

Radiation Detection > CZT & Gamma Cameras

Sigma 25/50

Available in two variations, Kromek's Sigma 25/50 Gamma ray detectors are highly sensitive, fast, and lightweight replacing conventional photomultiplier technology with state-of-the-art silicon photomultipliers (SiPMs).



The Sigma 25/50 Gamma detectors offer up to 32.8cm3 of detection volume, delivered in a package providing significant benefits in cost, size, weight, power consumption and temperature stability.

CsI(TI) has a light output of 54 photons/keV and is one of the brightest scintillators known. As well as good Gamma photon stopping power this makes CsI(TI) well suited for Gamma radiation detection.

Robust, Small & Lightweight

The Sigma 25/50 Caesium Iodide Scintillator Radiation detectors are perfect for radiation detection in the field and in the lab owing to their small size. If you need fast detection in an easy to use package this is what you need.

K-Spect & MultiSpect Analysis Integration

Kromek's Sigma 25/50 are available with both K-Spect and MultiSpect Analysis software which provide the spectrum acquisition, display, analysis, and storage functions.

Integration

Due to the discreet nature of the Sigma 25/50, these can be integrated into other systems. We've had them flying on drones and built into larger detector arrays.

PEO Detection Page 11 of 12

Radiation Detection > CZT & Gamma Cameras

K102

The Kromek K102 accepts amplified shaped pulses from detectors, digitizes the pulse heights, and sends the data to PC via the USB bus.

The Analyser is available with either Kromek's Windows based (7/8/10) K-Spect or MultiSpect Analysis software, which provide the spectrum acquisition, display, analysis, and storage functions.

It is powered through the USB bus so no external power supply is required.



PEO Detection Page 12 of 12