PORTABLE ISOTOPE IDENTIFIERS





Table of contents

Kromek	3
GR Series Gamma Spectrometers	4
D5 RIID	
D3S ID	7
RayMon	8
AARM	9
Polimaster	9
PM1401K-3M Multipurpose Hand-Held Radiation Monitor/Identifier	11
PM1401K-3P Multipurpose Hand-Held Radiation Monitor/Identifier	12
GEORADIS s.r.o.	12
RT-30 Gamma-Ray Spectrometer with Nuclide ID Canability - Georadis	11

Partner Kromek






Kromek Group plc is a global leader in advanced radiation detection technologies, specializing in compact, high-resolution solutions for security, defense, nuclear, and research applications. Leveraging proprietary Cadmium Zinc Telluride (CZT) semiconductor technology, Kromek delivers a versatile

portfolio that includes handheld monitors, portable isotope identifiers, CZT-based gamma cameras, and laboratory-grade spectrometers.

Product offering











PEO Detection Page 3 of 14

Radiation Detection > CZT & Gamma Cameras

GR Series Gamma Spectrometers



A family of small and light CZT-based Gamma detector spectrometers!



The Kromek GR family is a range of CZT-based high-performance Gamma spectrometers. They are completely self-contained, with built-in preamplifier, shaping amplifier, baseline restorer, pulse height digitizer and HV supply. The digitised pulse heights of detected Gamma signals are sent to a computer via the USB. The unit is powered entirely from the USB bus, so no external power supply is needed.

Can be used for all Gamma radiation detection needs either straight out of the box or built into your own devices. The GR Gamma detectors can be mounted side by side in an array to give you coverage of a large area.

GR1/GR1+ Gamma spectrometer

- · Perfect for most uses
- Energy resolution: < 2.5% FWHM @ 662 KeV
- USB output only
- 1 cm cubed CZT detector
- The plus model is available for those that need higher resolution:
- Energy resolution: <2.0% FWHM @ 662 KeV

GR1-A/GR1-A+ Gamma spectrometer

- For those that need extra outputs channels
- Energy resolution: < 2.5% FWHM @ 662 keV
- USB output
- Three MCX connectors that provide energy and timing outputs and gate inputs
- MultiSpect Analysis spectroscopy software included in the price
- 1 cm cubed CZT detector
- The plus model is available for those that need higher resolution:
- Energy resolution: <2.0% FWHM @ 662 KeV

GR05 Gamma spectrometer

- For use in a high-flux environment
- Energy resolution: < 2.5% FWHM @ 662 keV
- Max dose rate approximately 10mSv/hr
- USB output
- Smaller 0.125 cm cubed CZT detector
- For use in high-count (high-flux) environments

PEO Detection Page 4 of 14



PEO Detection Page 5 of 14

Radiation Detection > Handheld Monitors **D5 RIID**



The D5 RIID provides a unique high performance and versatile radiation detection device in a wearable package for military, homeland security, and industrial personnel.



The D5 RIID is a small, light, 3.5% resolution, wearable Radioisotope Identification Device (RIID) with an expansive radioisotope library and an ultra low false alarm rate. It continuously scans and accurately identifies radiological threats in real time, even in mixed source environments.

The D5 RIID combines small form factor with powerful radiometric performance and enhanced sensitivity at a medium resolution of 3.5%. The D5 RIID has an area efficiency which is 62% higher when compared with conventional RIIDs.

D5 RIID Overview https://youtu.be/yi-uvo05nFg





D5 RIID is the smallest, lightest with the ultimate detection performance. It has a 3.5% resolution, with an expansive radioisotope library and an ultra low false alarm rate. It continuously scans and accurately identifies radiological threats in real time, even in mixed source environments.

PEO Detection Page 6 of 14

Radiation Detection > Handheld Monitors

D3S ID



A wearable, concealable Gamma and Neutron detector which puts the power of a RIID into a package the size of a Personal Radiation Detector (PRD). D3S ID is the new standard in portable radiation detectors.

The D3S ID is a powerful, wearable, unobtrusive and handsfree device which is continuously scanning for Gamma and Neutron radiation threats.





Kromek's D3S meets the data security expectations of governments, intelligence services, and safety authorities. The D3S comes standard with a secure smartphone (Android control), which contains the exclusive and secured Kromek detector software. The D3S is already frequently used in the United States, for example on fire trucks and ambulances or as an area mapping system with 1,000 detectors during a 'scavenger hunt'. In Europe, the D3S has been deployed during state visits and NATO consultations in recent years, to detect early radioactive threats that may be present in cargo, vehicles, buildings, other objects, and in the environment.

Features:

- Identifies 37 isotopes (17 more than the current ANSI standard)
- Identifies faster than a RIID
- Budget-friendly compared to other products in the market
- Small size, wearable, fits on belt
- Networkable

PEO Detection Page 7 of 14

Radiation Detection > CZT & Gamma Cameras

RayMon



RayMon

A powerful and rugged handheld gamma detector for highresolution radioactive isotope identification. The RayMon10 is one of the most powerful and rugged handheld radiation monitors in the world. It can be used to detect, measure, and accurately identify gamma-ray emitting radionuclides, providing high-resolution isotope identification using the latest CZT solid-state detector technology. It is an all in one solution to your gamma radionuclide identification needs

It can output a variety of reports including date/time, user handheld ID, photo and audio note, GPS positioning, radiation spectra, and isotope identification.

Variations in normal operating conditions can often affect the performance of radio-isotope identification, the RayMon10's advanced one cubic centimeter CZT coplanar grid detector provides more stable performance than scintillation-type detectors



PEO Detection Page 8 of 14

Radiation Detection > Portable Isotope Identifiers

AARM



Real-time location, measurement, and mapping of radioactivity from the air with Kromek's drone-based payload!



When mounted to any multirotor drone model, Kromek's AARM payload system can be used to complete rapid, detailed radiological surveys over wide areas. Its advanced sensor system of integrated radiation and positional sensors allows isotopic fingerprinting, counts per second, and full spectral data to be collected and subsequently delivered to the user every second.

Data is also visualised in real-time in the form of a metre resolution radiation heat map on the AARM's iOS-based app. Hotspots and anomalies can be quickly identified from a safe distance, optimal for applications including, but not limited, to environmental surveys and monitoring, as well as enhancing situational awareness and rapid response in nuclear security applications.

Flexible detector and communications options are also available, adding to the versatility of the system. Cloud-based comms allow spectral data and counts per second to be viewed from anywhere in the world. Non-cloud-based options are also available, with onboard storage of data possible as well. The payload houses Kromek's proven radiation detection capabilities, with single or dual detector configurations of the <u>GR1</u>, <u>SIGMA 50</u>, <u>TN15</u> or <u>D3S</u>. The system's large operating temperature range further expands the system's mission versatility, making missions possible anywhere in the world.



PEO Detection Page 9 of 14

Partner Polimaster





Polimaster is a global leader in radiation detection and monitoring solutions, offering a comprehensive suite of instruments designed to detect, identify, and measure ionizing radiation across various environments. Their product range includes handheld monitors, personal electronic dosimeters, portable isotope identifiers, portal monitors, and mobile detection systems, all engineered to meet the rigorous demands of security, emergency response, and industrial

applications.

Product offering





PEO Detection Page 10 of 14

Radiation Detection > Handheld Monitors

PM1401K-3M Multipurpose Hand-Held Radiation Monitor/Identifier



PM1401K-3M model is a gamma-only radiation monitor without a neutron detector which is designed for quick and reliable measurement of gamma dose rate, detection of alpha, beta, and gamma sources, measurement of alpha and beta radiation flux density, acquisition of gamma spectra, identification of radioisotopes, and measurement of food/soil contamination with 137Cs

Features

- Storage of up to 10000 events and 1000 spectra
- Audible, visual and external vibration alarm
- Categorization of identified radionuclides
- · Shock and water resistant IP65 case
- Adjustable radionuclide libraries
- USB communication with PC
- · Built-in GPS module

Applications

- · Customs and border control
- HAZMAT and CBRNe teams
- Emergency services
- Police and security
- Industrial facilities
- First responders



PEO Detection Page 11 of 14

Radiation Detection > Handheld Monitors

PM1401K-3P Multipurpose Hand-Held Radiation Monitor/Identifier



Gamma-neutron model suitable for various radiation control tasks.

The **PM1401K-3 series** of radiation monitors compromises a wide range of all-in-one devices for radiation detection, dose rate, contamination measurements, spectrometry, and radionuclide identification.

The **PM1401K-3P model** is the **gamma-neutron model** suitable for various radiation control tasks, including measurement of ambient dose equivalent rate, detection of alpha, beta, gamma, and neutron sources, measurement of alpha and beta radiation flux density, acquisition of gamma spectra, identification of radioisotopes, and measurement of food/soil contamination with ¹³⁷Cs.

Features

- Storage of up to 10000 events and 1000 spectra
- Audible, visual, and external vibration alarm
- Categorization of identified radionuclides
- Shock and water-resistant IP65 case
- Adjustable radionuclide libraries
- USB communication with PC
- Built-in GPS module

Operation principle

The PM1401K-3P continuously measures ambient dose equivalent rate $\dot{H}^*(10)$ of photon radiation in the wide energy range, detects alpha, beta, gamma, and neutron radiation, measures alpha and beta radiation flux density, operates as a gamma radiation spectrometer and radioisotope identifier, and measures food/soil contamination with 137Cs radionuclide.



PEO Detection Page 12 of 14

Partner GEORADIS s.r.o.




GEORADIS

Georadis s.r.o. is a specialized manufacturer of advanced radiation detection and monitoring instruments, offering a comprehensive suite of solutions for field and laboratory applications. Their product portfolio includes handheld stope identifiers, environmental monitoring devices, and laboratory equipment

monitors, portable isotope identifiers, environmental monitoring devices, and laboratory equipment, all designed to meet the rigorous demands of professionals in sectors such as environmental monitoring, industrial safety, and public security.

Product offering





PEO Detection Page 13 of 14

Radiation Detection > Portable Isotope Identifiers

RT-30 Gamma-Ray Spectrometer with Nuclide ID Capability - Georadis



The RT-30 Gamma-Ray Spectrometer with Nuclide ID Capability (Georadis) integrates a radiation survey meter, dose meter and radionuclide identification device in a weather protected, lightweight and easy to use instrument.



RT-30 Gamma-Ray Spectrometer with Nuclide ID Capability features:

- multiple functions; nuclide ID (isotope name), scan and search
- auto-stabilization
- protection: IP66
- single button operation
- sensitivity: Co-60: 270 cps/MBq, Cs-137: 160 cps/MBq, Am-241: 75 cps/MBq
- data interchange; Bluetooth or USB
- readout search mode; 0 65535 cps
- energy response: 20 keV to 3000 keV
- energy compensated doserate: 0 10 mSv/h (with G/M detector)
- graphic LCD display; 128 x 64 pixels
- 2GB memory

Read more about the RT-30 Gamma-Ray Spectrometer with Nuclide ID Capability on the <u>Georadis</u> website

PEO Detection Page 14 of 14